


J. Roark

BIOTECHNOLOGY  
SYSTEMS  
BRANCH



#15

## **RAW SEQUENCE LISTING** **ERROR REPORT**



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/522,727A

Source: 1644

Date Processed by STIC: 4-16-01

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: [patin21help@uspto.gov](mailto:patin21help@uspto.gov) or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: [patin3help@uspto.gov](mailto:patin3help@uspto.gov) or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 3.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

### **Checker Version 3.0**

The Checker Version 3.0 application is a state-of-the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO).

Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:

**<http://www.uspto.gov/web/offices/pac/checker>**

1644

RAW SEQUENCE LISTING                      DATE: 04/16/2001  
PATENT APPLICATION: US/09/522,727A              TIME: 11:25:46

Input Set : A:\ES.txt  
Output Set: N:\CRF3\04162001\I522727A.raw

1 <110> APPLICANT: Marasco, Wayne Mhashilkar,  
W--> 2 <120> TITLE OF INVENTION: INTRABODY-MEDIATED CONTROL OF IMMUNE REACTIONS<130> 700157-  
W--> 3 <140> CURRENT APPLICATION NUMBER: 09/522,727<141> 2000-03-10<150> PCT/US98/19563<151> 1998-09-A  
W--> 0 <130> FILE REFERENCE:  
C--> 4 <141> CURRENT FILING DATE: 2000-03-10  
4 <150> PRIOR APPLICATION NUMBER: 60/059,339<151> 1997-09-18<160> 55 <170> PatentIn version

ERRORED SEQUENCES

Does Not Comply  
Corrected Diskette Needed

See p. 2

Delete

Abner<120> INTRABODY-MEDIATED CONTROL OF IMMUNE REACTIONS<130> 700157-  
 47577C<140> 09/522,727<141> 2000-03-10<150> PCT/US98/19563<151> 1998-09-  
 18<150> 60/059,339<151> 1997-09-18<160> 55<170> PatentIn version  
 3.0<210> 1<211> 15<212> PRT<213> Homo sapiens<400> 1

Seq<sup>1</sup> Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser  
 1 5 10 15

Seq<sup>2</sup> <210> 2<211> 15<212> PRT<213> Homo sapiens<400> 2  
 Glu Ser Gly Arg Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser  
 1 5 10 15

Seq<sup>3</sup> <210> 3<211> 14<212> PRT<213> Homo sapiens<400> 3  
 Glu Gly Lys Ser Ser Gly Ser Gly Ser Glu Ser Lys Ser Thr  
 1 5 10

Seq<sup>4</sup> <210> 4<211> 15<212> PRT<213> Homo sapiens<400> 4  
 Glu Gly Lys Ser Ser Gly Ser Gly Ser Glu Ser Lys Ser Thr Gln  
 1 5 10 15

Seq<sup>5</sup> <210> 5<211> 14<212> PRT<213> Homo sapiens<400> 5  
 Glu Gly Lys Ser Ser Gly Ser Gly Ser Glu Ser Lys Val Asp  
 1 5 10

Seq<sup>6</sup> <210> 6<211> 14<212> PRT<213> Homo sapiens<400> 6  
 Gly Ser Thr Ser Gly Ser Gly Lys Ser Ser Glu Gly Lys Gly  
 1 5 10

Seq<sup>7</sup> <210> 7<211> 15<212> PRT<213> Homo sapiens<400> 7  
 Lys Glu Ser Gly Ser Val Ser Ser Glu Gln Leu Ala Gln Phe Arg  
 1 5 10 15

Format errors due  
 to PatentIn 3.0 "bug".  
 Insert "hard returns"  
 where arrows indicate.

For PatentIn 3.0  
 questions, contact  
 Mr. Robert Wax  
 at 703-306-4119.

Note →

The types of errors shown exist throughout the Sequence Listing. Please check subsequent sequences for similar errors.

## VERIFICATION SUMMARY

PATENT APPLICATION: US/09/522,727A

DATE: 04/16/2001

TIME: 11:25:47

Input Set : A:\ES.txt

Output Set: N:\CRF3\04162001\I522727A.raw

L:2 M:283 W: Missing Blank Line separator, <120> field identifier  
L:3 M:283 W: Missing Blank Line separator, <140> field identifier  
L:0 M:201 W: Mandatory field data missing, FILE REFERENCE  
L:3 M:270 C: Current Application Number differs, Replaced Current Application Number  
L:4 M:271 C: Current Filing Date differs, Replaced Current Filing Date  
L:5 M:283 W: Missing Blank Line separator, <210> field identifier  
L:0 M:282 W: Numeric Field Identifier Missing, <160> is required.  
L:148 M:282 W: Numeric Field Identifier Missing, <211> is required.  
L:148 M:282 W: Numeric Field Identifier Missing, <212> is required.  
L:148 M:282 W: Numeric Field Identifier Missing, <213> is required.  
L:269 M:283 W: Missing Blank Line separator, <400> field identifier  
L:273 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:276 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:279 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:282 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:285 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:288 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:291 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:294 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:297 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:300 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:301 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51  
L:302 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51  
L:303 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:306 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:309 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:312 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:315 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:318 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:321 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:324 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:51  
L:330 M:282 W: Numeric Field Identifier Missing, <211> is required.  
L:330 M:282 W: Numeric Field Identifier Missing, <212> is required.  
L:330 M:282 W: Numeric Field Identifier Missing, <213> is required.  
L:394 M:283 W: Missing Blank Line separator, <400> field identifier  
L:398 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:401 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:404 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:407 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:410 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:413 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:416 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:419 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:422 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:425 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:428 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:431 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:434 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/522,727A

DATE: 04/16/2001

TIME: 11:25:47

Input Set : A:\ES.txt

Output Set: N:\CRF3\04162001\I522727A.raw

L:437 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:440 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:443 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:446 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:449 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:53  
L:0 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (0) Counted (4)